


# Infotec IS 2325 & IS 2325GW



Fast and affordable digital production



Printing · Copying · Scanning · Document Management

# Simply Digital

**Would you like to increase productivity and cut the cost of document production? It is possible to do both with the new Infotec IS 2325.**

**An advanced digital copier, the IS 2325 has a powerful A3 engine which cuts through everyday copies at a brisk 25 pages a minute. The IS 2325 can hold a maximum of 2,100 sheets of paper on-line ready for use, and has an integral duplex for fast, automated double-sided copying.**

**Adding the optional print controller enables the IS 2325 to be used as a high-speed A3 network printer capable of handling complex print jobs at high speed and quality from multiple users. A highly productive printer, with sophisticated handling features and low running costs, it is the ideal replacement for the desk top printer or stand alone copier.**

## The digital advantage

Catering for A3 and A4 output, the IS 2325 has an advanced digital engine for fast and efficient production of copies and prints. Each document, whether a copy or print, is treated as an original and printed to the same immaculate standard.

- A4 and A3 formats meet all copy and print requirements
- One-off pages delivered in just 6 seconds

- Non-stop 25 page a minute output speed production
- 600dpi resolution and 256 grey scales ensure laser-sharp output
- Originals are scanned once and printed from memory giving consistent quality
- Multiple sets delivered ready-sorted to the internal tray

## Network print and scan options

Adding the print controller increases functionality and makes sound financial sense. Low running costs are a feature of the Infotec IS 2325's digital imaging system. Multiple users can print to the device, streamlining workflow and reducing print costs. Adding network print capability also unlocks the machine's powerful scanning capability.

- Simple upgrade adds network print and scan capability
- Low-cost DDST printer option provides GDI print functionality
- A printer enhance option adds PCL6 drivers
- The networked device acts as a high-speed TWAIN scanner
- Books and bound copies scanned directly from the glass
- Multi-page documents scanned via the optional document feeder





## Simple operation and easy access

Sometimes it is one thing to have sophisticated technology to hand but another to use it. At Infotec we make simple operation a key design requirement ensuring all users can access and utilise the advanced copy and print features.

- Copy settings selected at the press of a button
- Ergonomic LCD panel design guides operation
- With up to 4 trays, several paper formats are held on-line
- Letterheads and stationery fed via an active by-pass tray
- Double-sided output produced at full-engine speed
- Paper and toner are easily replenished from the front of the machine

## Advanced handling and finishing options

Whether you are looking for a high-speed copier or a networked multifunctional printer, automating manual processes will simplify operations. Packed with time saving features, the IS 2325 can be made even more productive with the addition of advanced

handling and finishing options.

- Add a 50 page document feeder
- The finisher sorts and staples documents ready for distribution
- Copies and prints can be stapled in 3 positions
- Together the standard duplex and finisher automate production of smartly finished single and double-sided documents
- Maximum paper supply of 2,100 sheets with the optional paper deck



## Technical specifications Infotec IS 2325 & IS 2325GW

### System

· Process:	Digital laser scanning, electro-photographic print
· Resolution:	600dpi, 256 grey scales
· Display:	4 line LCD operation panel
· Duplex:	Standard
· Warm-up time:	<26 seconds
· Dimensions:	650 mm (w) x 604 mm (d) x 890 mm (h)
· Weight:	55kg
· Power supply:	220-240V, 50-60Hz
· Power consumption:	Less than 1.45KW

### Function

· Digital copier:	Standard
· Laser printer:	Option
· Scanner:	Option

### Output speed (A4, 80g/m<sup>2</sup>)

· First page:	<6 seconds
· Continuous:	25cpm

### Input capacity (A4, 80g/m<sup>2</sup>)

· 1st Tray:	1 x 500 sheets, A6 - A3, 60 - 105g/m <sup>2</sup>
· 2nd Tray:	1 x 500 sheets, A6 - A3, 52 - 157g/m <sup>2</sup>
· Bypass:	100 sheet, A6 - A3, 52 - 157g/m <sup>2</sup>
· Duplex:	Trayless, A5 - A3, 60 - 105g/m <sup>2</sup>
· ARDF (option):	50 sheet, A5 - A3, 40 - 128g/m <sup>2</sup>
· Paper bank (option):	2 x 500 sheets, A5 - A3, 60 - 105g/m <sup>2</sup>

### Output capacity (A4, 80g/m<sup>2</sup>)

· Internal tray:	250 sheets, A6 - A3, 52 - 157g/m <sup>2</sup> (125 sheets with bridge unit)
· One bin tray (option):	100 sheets, A5 - A3, 60 - 105g/m <sup>2</sup>
· Finisher (option):	500 sheets, A5 - A3, 52 - 128g/m <sup>2</sup> 50 sheet, 1/2 staples, 3 positions

### Digital copier (standard)

· Multiple copy:	1 - 999 copies
· Zoom:	50% to 200% zoom, 1% steps, 7 preset ratios
· Features:	Auto start, user codes (50 x 8 digits) Auto / Manual density selection, Photomode Auto tray switch, Auto paper selection, Auto magnification selection, Combine copy, Series copy, Image rotation, Scan-once copy-many Electronic sort, Rotate Sort, Stack, Staple (with finisher) double and single sided copy

### Laser printer (option)

· CPU:	RM5231-400MHz
· Memory:	128MB Standard (Upgradable to 384MB)
· Languages:	PCL6, PCL5e, RPCS
· Interfaces:	Ethernet (10 Base-T/100 Base-TX) and USB 2.0 (Standard)
· Protocols:	TCP/IP, IPX/SPX, Appletalk, SMB
· Fonts:	PCL: 46 fonts
· Operating systems:	Win: 98/2000/Me/XP/Server 2003/XP/NT 4.0 & Vista 1.2
· Features:	Reduce / enlarge (scaling), Collate, Sort, Staple (with finisher), Duplex, Booklet, Magazine, Layout (N-up), Watermark, Forms overlay, Edge-to-edge print, Edge smoothing, Toner saving

### Scanner (with printer scanner option)

· Resolution:	100 - 600dpi (1dpi steps)
· Scan area:	279 x 432 mm
· Operating systems:	Win: 98/2000/Me/XP/Server 2003/NT 4.0 & Vista 1.2
· Driver:	TWAIN
· Scan Speed:	40ppm
· Features:	Scan-to-email/Scan-to-folder
· Interfaces:	Ethernet (10/100 Base-TX) and Wireless Lan (802.11b)

### Fax (option)

· Compatibility:	ITU-T Super G3
· Circuit:	PSTN / PBX
· Modem Speed:	33.6 Kbps
· Scanning Speed:	<1.6 seconds
· Scanning Resolution:	200 x 100 dpi / 200 x 200 dpi
· Transmission Speed:	2 seconds
· Compression:	MH / MR / MMR / JBIG
· Memory Capacity:	4MB, approx 320 sheets
· Speed dials:	Quick dial, 150 speed dials
· Memory back-up:	1 hour
· Fax features:	Busy tone detection, Automatic redial, Memory transmission, Broadcast, Page retransmission, Forwarding, Automatic & manual reception, Substitute reception, double sided transmission.

### Options

- Platen cover (Type 1018)
- DDST Printer Controller
- Printer Scanner Controller
- Adobe PostScript 3
- Wireless Lan, IEEE 1284 & Bluetooth
- Fax option
- Counter Interface (Counter Interface Type A)

### Visual illustration (see graphic below)

- 1 ARDF (DF3020)
- 2 One bin tray (BN3020)
- 3 Finisher (SR3010)
- 4 Paper bank (PB3030)

